



# ឯកទេសទឹកនោមផ្អែម និងបេះដូង

DIABETES & CARDIOLOGY SPECIALIST

ផ្ទះលេខ១៨-២០ ផ្លូវ G5 សង្កាត់ប្រែកលៀង ខណ្ឌព្រៃនប់ រាជធានីភ្នំពេញ

098-598-343 / 015-453-453 / 011-201-513 WWW.HDRCLINIC.COM

LABORATOIRES D'ANALYSES MEDICALES

PHNOM PENH, 02-Oct-2023 9:04 am

Patient ID : 0396779

Examen nr : 021023104

NOM ET PRENOM: KEA YOEURT

Age : 65 ans Sexe : F



## HEMATOLOGY

### NUMERATION GLOBULAIRE

LEUCOCYTES.....	5.800	/mm <sup>3</sup>	( 4.0 - 10 )
HEMATIES.....	5.000.000	/mm <sup>3</sup>	( 3.80 - 5.30 )
Hémoglobine.....	10,3	g/100ml	( 12,0 - 16,0 )
Hématocrite.....	35,6	%	( 38,0 - 47,0 )
V.G.M.....	71,2	fl	( 85,0 - 95,0 )
T.C.M.H.....	20,6	pg	( 27,0 - 33,0 )
C.C.M.H.....	28,9	%	( 32,0 - 36,0 )
Plaquettes.....	271.000	/mm <sup>3</sup>	( 150 - 400 )

### FORMULE LEUCOCYTAIRE

Polynucléaires neutrophiles.....	52	%	( 45 - 70 )
Polynucléaires éosinophiles.....	04	%	( ≤ 3 )
Polynucléaires basophiles.....	00	%	( ≤ 1 )
Lymphocytes.....	42	%	( 20 - 40 )
Monocytes.....	02	%	( 2 - 7 )

## BIOCHEMESTRY

CHOLESTEROL LDL.....	77	mg/dl	( N: < 130 )
TRIGLYCERIDES.....	158	mg/dl	( N: < 200 )
CREATININE.....	1.0	mg/dl	( N: 0.6 -1.1 )
ALBUMINE.....	4.3	g/dl	( N: 3.8 - 5.4 )
HEMOGLOBIN A1c ( Hb A1C ).....	4.9	%	( N: 4.24-6.41 )

## ENZYMOLGY

TRANSAMINASES SGOT (ASAT).....	25	UI/L	( N: ≤ 31 )
TRANSAMINASES SGPT (ALAT).....	34	UI/L	( N: ≤ 31 )

EXAMINER

HENG SOKHON



# ឯកទេសទឹកនោមផ្អែម និងបេះដូង

DIABETES & CARDIOLOGY SPECIALIST

ផ្ទះលេខ១៨-២០ ផ្លូវG5 សង្កាត់ប្រែកលៀង ខណ្ឌព្រៃនប់ រាជធានីភ្នំពេញ

098-598-343 / 015-453-453 / 011-201-513 WWW.HDRCLINIC.COM

LABORATOIRES D'ANALYSES MEDICALES

PHNOM PENH, 02-Oct-2023 9:04 am

Patient ID : 0396779

Examen nr : 021023104

NOM ET PRENOM: KEA YOEURT

Age : 65 ans Sexe : F



## SEROLOGY

### SEROLOGIE DE L'HEPATITE B(technique E.L.I.S.A)

Recherche de l'Antigène HBe.....: réaction négative

### SEROLOGIE DE L'HEPATITE B(technique E.L.I.S.A)

Recherche de l'Anticorps anti-HBe.....: réaction POSITIVE

## TEST RESULT

### TESTING REQUIREMENTS

HBV-DNA quantitative .

### TEST TECHNIQUE

Real time PCR-Photomultiplier Tube Technique

The FAM labeled probe to detect target DNA

The HEX labeled probe to Internal control .

### THRESHOLD OF QUANTITATIVE

Threshold of quantitative 250 copies/ml .

### RESULT CONCLUSION

POSITIVE SAMPLE: 794 copies/ml

EXAMINER

HENG SOKHON