



ឯកទេសទឹកនោមផ្អែម និងបេះដូង

DIABETES & CARDIOLOGY SPECIALIST

ផ្ទះលេខ១៨-២០ ផ្លូវ G5 សង្កាត់ប្រែកលៀង ខណ្ឌព្រៃនប់ រាជធានីភ្នំពេញ

098-598-343 / 015-453-453 / 011-201-513 WWW.HDRCLINIC.COM

LABORATOIRES D'ANALYSES MEDICALES

PHNOM PENH, 04-Jan-2025 10:23 am

Patient ID :

Examen nr : 040125119

NOM ET PRENOM: SOUS PHIROM

Age : 40 ans Sexe : M



HEMATOLOGIE

NUMERATION GLOBULAIRE

LEUCOCYTES.....	6.000	/mm ³	(4.0 - 10)
HEMATIES.....	4.430.000	/mm ³	(4.50 - 5.50)
Hémoglobine.....	13,2	g/100ml	(13,0 - 18,0)
Hématocrite.....	39,8	%	(40,0 - 54,0)
V.G.M.....	89,8	fl	(85,0 - 95,0)
T.C.M.H.....	29,8	pg	(27,0 - 33,0)
C.C.M.H.....	33,2	%	(32,0 - 36,0)
Plaquettes.....	224.000	/mm ³	(150 - 400)

FORMULE LEUCOCYTAIRE

Polynucléaires neutrophiles.....	39	%	(45 - 70)
Polynucléaires éosinophiles.....	02	%	(≤ 3)
Polynucléaires basophiles.....	00	%	(≤ 1)
Lymphocytes.....	57	%	(20 - 40)
Monocytes.....	02	%	(2 - 7)

BIOCHIMIE

CHOLESTEROL TOTAL.....	229	mg/dl	(N : < 200)
CHOLESTEROL LDL.....	128	mg/dl	(N : < 130)
TRIGLYCERIDES.....	136	mg/dl	(N : < 200)
ACIDE URIQUE.....	4,5	mg/dl	(N : 3,0-7,0)
UREE SANGUINE.....	35	mg/dl	(N : 15 - 45)
CREATININE.....	1,1	mg/dl	(N : 0,6 - 1,3)
ALBUMINE.....	4,6	g/dl	(N : 3,8 - 5,4)
Hb A1C (HPLC Method).....	4,5	%	(N : 4,2 - 6,4)

EXAMINER

HENG SOKHON



ឯកទេសទឹកនោមផ្អែម និងបេះដូង

DIABETES & CARDIOLOGY SPECIALIST

ផ្ទះលេខ១៨-២០ ផ្លូវG5 សង្កាត់ប្រែកលៀង ខណ្ឌព្រៃនប់ រាជធានីភ្នំពេញ

098-598-343 / 015-453-453 / 011-201-513 WWW.HDRCLINIC.COM

LABORATOIRES D'ANALYSES MEDICALES

PHNOM PENH, 04-Jan-2025 10:23 am

Patient ID :

Examen nr : 040125119

NOM ET PRENOM: SOUS PHIROM

Age : 40 ans Sexe : M



MARQUEURS TUMORAUS

ALPHA FOETOPROTEINE.....: 8,14 ng/ml

valeurs usuelles (homme et femme non enceinte)... : inf.à 9,00 ng/ml

valeurs usuelles pendant la grossesse.....: inf à 175 ng/ml

ENZYMOLOGIE

TRANSAMINASES SGOT (ASAT).....: 130 UI/L (N: ≤ 37)

TRANSAMINASES SGPT (ALAT).....: 125 UI/L (N: ≤ 40)

TEST RESULT

TESTING REQUIREMENTS

HBV-DNA quantitative .

TEST TECHNIQUE

Real time PCR-Photomultiplier Tube Technique

The FAM labeled probe to detect target DNA

The HEX labeled probe to Internal control .

THRESHOLD OF QUANTITATIVE

Threshold of quantitative 250 copies/ml .

RESULT CONCLUSION

POSITIVE SAMPLE:841,807copies/ml

EXAMINER

HENG SOKHON