



ឯកទេសទឹកនោមផ្អែម និងបេះដូង

DIABETES & CARDIOLOGY SPECIALIST

ផ្ទះលេខ១៨-២០ ផ្លូវ G5 សង្កាត់ប្រកលៀង ខណ្ឌបឹងកេងកង រាជធានីភ្នំពេញ

098-598-343 / 015-453-453 / 011-201-513 WWW.HDRCLINIC.COM

MEDICAL ANALYSIS LABORATORY

PHNOM PENH : 08-Mar-2025 8:16 am

Patient ID : 0050484

Specimen N° : 080325104

Patient Name: MEAS RIM

Age : 41 years Sexe : M



HEMATOLOGY

WBC.....	6,200	/mm ³	(4,0 - 10)
RBC.....	6,020,000	/mm ³	(4,50 - 5,50)
Hemoglobin.....	14.8	g/100ml	(13.0 - 18.0)
Hematocrit.....	46.2	%	(40.0 - 54.0)
M.C.V.....	76.7	f1	(85.0 - 95.0)
M.C.H.....	24.6	pg	(27.0 - 33.0)
C.C.M.H.....	32.0	%	(32.0 - 36.0)
Plaquettes.....	228,000	/mm ³	(150 - 400)

DIFFERENTIAL COUNT

Polynucleaires neutrophiles.....	46	%	(45 - 70)
Polynucleaires eosinophiles.....	07	%	(≤ 3)
Polynucleaires basophiles.....	00	%	(≤ 1)
Lymphocytes.....	45	%	(20 - 40)
Monocytes.....	02	%	(2 - 7)

BIOCHEMESTRY

CHOLESTEROL LDL.....	103	mg/dl	(N: < 130)
TRIGLYCERIDES.....	238	mg/dl	(N: < 200)
URIC ACID.....	5.8	mg/dl	(N: 3.0-7.0)
BUN.....	32	mg/dl	(N: 15 - 45)
CREATININE.....	1.1	mg/dl	(N: 0.6 -1.3)
ALBUMINE.....	4.8	g/dl	(N: 3.8 - 5.4)
Hb A1C (HPLC Method).....	5.0	%	(N: 4.2 -6.4)

Verified By

HENG SOKHON

Laboratory Technician

HOR CHANPHIMEAN



ឯកទេសទឹកនោមផ្អែម និងបេះដូង

DIABETES & CARDIOLOGY SPECIALIST

ផ្ទះលេខ១៨-២០ ផ្លូវ G5 សង្កាត់ប្រកលៀង ខណ្ឌបឹងកេងកង រាជធានីភ្នំពេញ

098-598-343 / 015-453-453 / 011-201-513 WWW.HDRCLINIC.COM

MEDICAL ANALYSIS LABORATORY

PHNOM PENH : 08-Mar-2025 8:16 am

Patient ID : 0050484

Specimen N° : 080325104

Patient Name: MEAS RIM

Age : 41 years Sexe : M



TUMOR MARKERS

ALPHA FOETOPROTEINE.....: 0.500 ng/ml

valeurs usuelles (homme et femme non enceinte)... : inf.à 9,00 ng/ml

valeurs usuelles pendant la grossesse.....: inf à 175 ng/ml

ENZYMOLGY

TRANSAMINASES SGOT (ASAT).....: 36 UI/L (N: ≤ 37)

TRANSAMINASES SGPT (ALAT).....: 34 UI/L (N: ≤ 40)

SEROLOGY

SEROLOGIE DE L'HEPATITE B

Recherche de l'Antigène HBe.....: réaction négative

SEROLOGIE DE L'HEPATITE B

Recherche de l'Anticorps anti-HBe.....: **réaction POSITIVE**

TEST RESULT

TESTING REQUIREMENTS

HBV-DNA quantitative .

TEST TECHNIQUE

Real time PCR-Photomultiplier Tube Technique

The FAM labeled probe to detect target DNA

The HEX labeled probe to Internal control .

THRESHOLD OF QUANTITATIVE

Threshold of quantitative 250 copies/ml .

RESULT CONCLUSION

Detected no virus in the sample.

Verified By

HENG SOKHON

RAKSA

Laboratory Technician

HOR CHANPHIMEAN