



ឯកទេសទឹកនោមផ្អែម និងបេះដូង

DIABETES & CARDIOLOGY SPECIALIST

ផ្ទះលេខ១៨-២០ ផ្លូវG5 សង្កាត់ប្រែកលៀង ខណ្ឌបឹងកេងកង រាជធានីភ្នំពេញ

098-598-343 / 015-453-453 / 011-201-513 WWW.HDRCLINIC.COM

MEDICAL ANALYSIS LABORATORY

PHNOM PENH : 01-Apr-2025 9:33 am

Patient ID :

Specimen N° : 010425113

Patient Name: RATH BOPHANARY

Age : 66 years Sexe : F



HEMATOLOGY

WBC.....	7,400	/mm ³	(4,0 - 10)
RBC.....	5,470,000	/mm ³	(3,80 - 5,30)
Hemoglobin.....	14.1	g/100ml	(12.0 - 16,0)
Hematocrit.....	41.4	%	(38.0 - 47.0)
M.C.V.....	75.7	fl	(85.0 - 95.0)
M.C.H.....	25.8	pg	(27.0 - 33.0)
C.C.M.H.....	34.1	%	(32.0 - 36.0)
Plaquettes.....	251,000	/mm ³	(150 - 400)

DIFFERENTIAL COUNT

Polynucleaires neutrophiles.....	66	%	(45 - 70)
Polynucleaires eosinophiles.....	03	%	(≤ 3)
Polynucleaires basophiles.....	00	%	(≤ 1)
Lymphocytes.....	29	%	(20 - 40)
Monocytes.....	02	%	(2 - 7)

ERYTHROCYTE SEDIMENTATION RATE

1 hour.....	18	mm	(< 20)
-------------	----	----	----------

BIOCHEMESTRY

CHOLESTEROL TOTAL.....	169	mg/dl	(N: < 200)
CHOLESTEROL HDL.....	47	mg/dl	(N: > 55)
CHOLESTEROL LDL.....	94	mg/dl	(N: < 130)
TRIGLYCERIDES.....	149	mg/dl	(N: < 200)
URIC ACID.....	3.2	mg/dl	(N: 2.5-6.0)
CREATININE.....	0.9	mg/dl	(N: 0.6 -1.1)
Hb A1C (HPLC Method).....	5.7	%	(N: 4.2 -6.4)

Verified By

HENG SOKHON

Laboratory Technician

HOR CHANPHIMEAN



ឯកទេសទឹកនោមផ្អែម និងបេះដូង

DIABETES & CARDIOLOGY SPECIALIST

ផ្ទះលេខ១៨-២០ ផ្លូវG5 សង្កាត់ប្រកលៀង ខណ្ឌបឹងកេងកង រាជធានីភ្នំពេញ

098-598-343 / 015-453-453 / 011-201-513 WWW.HDRCLINIC.COM

MEDICAL ANALYSIS LABORATORY

PHNOM PENH : 01-Apr-2025 9:33 am

Patient ID :

Specimen N° : 010425113

Patient Name: RATH BOPHANARY

Age : 66 years Sexe : F



BLOOD ELECTROLYTE

SODIUM (Na+)	143	mmol/L (N:135 - 145)
POTASSIUM (K+)	4.2	mmol/L (N:3.5 - 5.0)
CHLORURES (Cl-)	104	mmol/L (N:98 - 107)

HORMONOLOGY

FT3 (Free TriiodoThyronine)	5.29	pg/mL (N: 2.00-4.20)
FT4 (Free Thyroxin)	2.19	ng/dL (N: 0.71-1.85)
TSH 3rd generation	<0.001	μUI/mL (N: 0.30-4.50)

ENZYMOMOLOGY

TRANSAMINASES SGOT (ASAT)	19	UI/L (N: ≤ 31)
TRANSAMINASES SGPT (ALAT)	21	UI/L (N: ≤ 31)

Verified By

HENG SOKHON

Laboratory Technician

HOR CHANPHIMEAN