



ឯកទេសទឹកនោមផ្អែម និងបេះដូង

DIABETES & CARDIOLOGY SPECIALIST

ផ្ទះលេខ១៨-២០ ផ្លូវG5 សង្កាត់ប្រែកលៀង ខណ្ឌបឹងកេងកង រាជធានីភ្នំពេញ

098-598-343 / 015-453-453 / 011-201-513 WWW.HDRCLINIC.COM

MEDICAL ANALYSIS LABORATORY

PHNOM PENH : 25-Sep-2025 10:16 am

Patient ID : 0523205

Specimen N° : 250925115

Patient Name: VAN MAY

Age : 90 years Sexe : F



HEMATOLOGY

WBC.....	: 7,000	/mm ³	(4,0 - 10)
RBC.....	: 3,930,000	/mm ³	(3,80 - 5,30)
Hemoglobin.....	: 12.4	g/100ml	(12.0 - 16,0)
Hematocrit.....	: 37.4	%	(38.0 - 47.0)
M.C.V.....	: 95.2	f1	(85.0 - 95.0)
M.C.H.....	: 31.6	pg	(27.0 - 33.0)
C.C.M.H.....	: 33.2	%	(32.0 - 36.0)
Plaquettes.....	: 273,000	/mm ³	(150 - 400)

DIFFERENTIAL COUNT

Polynucleaires neutrophiles.....	: 66	%	(45 - 70)
Polynucleaires eosinophiles.....	: 04	%	(≤ 3)
Polynucleaires basophiles.....	: 00	%	(≤ 1)
Lymphocytes.....	: 28	%	(20 - 40)
Monocytes.....	: 02	%	(2 - 7)

BIOCHEMESTRY

CHOLESTEROL LDL.....	: 89	mg/dl	(N: < 130)
TRIGLYCERIDES.....	: 125	mg/dl	(N: < 200)
BUN.....	: 28	mg/dl	(N: 15 - 45)
CREATININE.....	: 0.8	mg/dl	(N: 0.6 -1.1)
ALBUMINE.....	: 4.5	g/dl	(N: 3.8 - 5.4)
Hb A1C (HPLC Method).....	: 5.1	%	(N: 4.2 -6.4)

Verified By

HENG SOKHON

Laboratory Technician

Ph. MEATH RAKSA



ឯកទេសទឹកនោមផ្អែម និងបេះដូង

DIABETES & CARDIOLOGY SPECIALIST

ផ្ទះលេខ១៨-២០ ផ្លូវG5 សង្កាត់ប្រែកលៀង ខណ្ឌបឹងកេងកង រាជធានីភ្នំពេញ

098-598-343 / 015-453-453 / 011-201-513 WWW.HDRCLINIC.COM

MEDICAL ANALYSIS LABORATORY

PHNOM PENH : 25-Sep-2025 10:16 am

Patient ID : 0523205

Specimen N° : 250925115

Patient Name: VAN MAY

Age : 90 years Sexe : F



BLOOD ELECTROLYTE

SODIUM (Na+)	137	mmol/L (N:135 - 145)
POTASSIUM (K+)	3.8	mmol/L (N:3.5 - 5.0)
CHLORURES (Cl-)	101	mmol/L (N:98 - 107)

HORMONOLOGY

CORTISOL : 197.4 ng /mL

.....
Normal Ranges

*6:00 - 10:00AM : 45.5 - 208.2 ng/mL

*4:00 - 8:00 PM : 25.2 - 124.5 ng/mL

ENZYMOMOLOGY

TRANSAMINASES SGOT (ASAT)	21	UI/L (N: ≤ 31)
TRANSAMINASES SGPT (ALAT)	15	UI/L (N: ≤ 31)

SEROLOGY

DETERMINATION QUANTITATIVE OF PROTEIN C (CRP)

Protein C Reactive..... : 2.28 mg/L (N : < 6)

Verified By

HENG SOKHON

Laboratory Technician

Ph. MEATH RAKSA