



ឯកទេសទឹកនោមផ្អែម និងបេះដូង

DIABETES & CARDIOLOGY SPECIALIST

ផ្ទះលេខ១៨-២០ ផ្លូវ G5 សង្កាត់ប្រែកលៀង ខណ្ឌបឹងកេងកង រាជធានីភ្នំពេញ

098-598-343 / 015-453-453 / 011-201-513 WWW.HDRCLINIC.COM

MEDICAL ANALYSIS LABORATORY

PHNOM PENH : 14-Nov-2025 8:34 am

Patient ID :

Specimen N° : 141125118

Patient Name: DA VY

Age : 53 years Sexe : F



HEMATOLOGY

WBC.....	5,100	/mm ³	(4,0 - 10)
RBC.....	4,360,000	/mm ³	(3,80 - 5,30)
Hemoglobin.....	11.5	g/100ml	(12.0 - 16,0)
Hematocrit.....	36.4	%	(38.0 - 47.0)
M.C.V.....	83.5	f1	(85.0 - 95.0)
M.C.H.....	26.4	pg	(27.0 - 33.0)
C.C.M.H.....	31.6	%	(32.0 - 36.0)
Plaquettes.....	222,000	/mm ³	(150 - 400)

DIFFERENTIAL COUNT

Polynucleaires neutrophiles.....	60	%	(45 - 70)
Polynucleaires eosinophiles.....	03	%	(≤ 3)
Polynucleaires basophiles.....	00	%	(≤ 1)
Lymphocytes.....	35	%	(20 - 40)
Monocytes.....	02	%	(2 - 7)

BIOCHEMESTRY

CHOLESTEROL TOTAL.....	212	mg/dl	(N: < 200)
CHOLESTEROL LDL.....	126	mg/dl	(N: < 130)
TRIGLYCERIDES.....	174	mg/dl	(N: < 200)
URIC ACID.....	3.6	mg/dl	(N: 2.5-6.0)
BUN.....	28	mg/dl	(N: 15 - 45)
CREATININE.....	0.8	mg/dl	(N: 0.6 -1.1)
ALBUMINE.....	4.5	g/dl	(N: 3.8 - 5.4)
Hb A1C (HPLC Method).....	5.4	%	(N: 4.2 -6.4)

Verified By

HENG SOKHON

Laboratory Technician

Ph. MEATH RAKSA



ឯកទេសទឹកនោមផ្អែម និងបេះដូង

DIABETES & CARDIOLOGY SPECIALIST

ផ្ទះលេខ១៨-២០ ផ្លូវG5 សង្កាត់ប្រែកលៀង ខណ្ឌបឹងកេងកង រាជធានីភ្នំពេញ

098-598-343 / 015-453-453 / 011-201-513 WWW.HDRCLINIC.COM

MEDICAL ANALYSIS LABORATORY

PHNOM PENH : 14-Nov-2025 8:34 am

Patient ID :

Specimen N° : 141125118

Patient Name: DA VY

Age : 53 years Sexe : F



BLOOD ELECTROLYTE

SODIUM (Na+)	143	mmol/L (N:135 - 145)
POTASSIUM (K+)	4.0	mmol/L (N:3.5 - 5.0)
CHLORURES (Cl-)	107	mmol/L (N:98 - 107)

HORMONOLOGY

FT4 (Free Thyroxin)	1.24	ng/dL (N: 0.71-1.85)
TSH 3rd generation	1.104	μUI/mL (N: 0.30-4.50)
CORTISOL	150.0	ng /mL

.....
Normal Ranges

.....
*6:00 - 10:00AM : 45.5 - 208.2 ng/mL
*4:00 - 8:00 PM : 25.2 - 124.5 ng/mL

ENZYMOMOLOGY

TRANSAMINASES SGOT (ASAT)	23	UI/L (N: ≤ 31)
TRANSAMINASES SGPT (ALAT)	27	UI/L (N: ≤ 31)
GAMMA - G.T.	40	UI/L (N: 9 - 39)

Verified By

HENG SOKHON

Laboratory Technician

Ph. MEATH RAKSA